

# SAFETY DATA SHEET



## L33 LAUNDRY DESTAINER

Catalogue number: AC869

Version No: 2.3

Issue date: 27/01/2026

Safety Data Sheet according to WHS and ADG requirements.

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

Product name	L33 LAUNDRY DESTAINER
Synonyms	AC869
Proper shipping name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)
Other means of identification	Not Available

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Oxygen bleach and sanitiser
--------------------------	-----------------------------

#### Details of the manufacturer/importer

Registered company name	VERIDIA Australia
Address	10 Voyager Circuit, Glendenning, NSW, 2761.
Telephone	1300 228 222
Website	www.veridia.com.au
Email	admin@veridia.com.au

#### Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

### SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	6
GHS Classification	Skin Corrosion/Irritation Category 1B, Serious Eye Damage Category 1, Oxidizing Liquid Category 2, Acute Toxicity (Inhalation) Category 4, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Acute Toxicity (Oral) Category 4. <i>Classification drawn from HCIS and ECHA C&amp;L Inventory.</i>

#### Label elements

Hazard pictograms	Three hazard pictograms are displayed in a row, each within a red diamond border. From left to right: 1. Corrosive (C): A liquid dripping from two test tubes onto a hand and a metal surface. 2. Oxidizing (O): A flame over a flame, with a flame over a flame. 3. Danger (D): A large exclamation mark.
SIGNAL WORD	<b>DANGER</b>

#### Hazard statement(s)

H272	May intensify fire; oxidizer
H332	Harmful if inhaled.
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation.

**Precautionary statement(s) Prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221	Take any precaution to avoid mixing with combustibles / organic material
P260	Do not breathe vapours or spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection.
P220	Keep / Store away from clothing / organic material / combustible materials.
P283	Wear fire/flammable resistant/retardant clothing.
P270	Do not eat, drink or smoke when using this product.

**Precautionary statement(s) Response**

P301+P310+P330+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.
P303+P310+P361+P353	IF ON SKIN (or hair): Immediately call a POISON CENTER or doctor. Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower.
P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P310+P340	IF INHALED: Immediately call a POISON CENTER or doctor. Remove person to fresh air and keep at rest in a position comfortable for breathing.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use alcohol resistant foam or fine spray/water fog for extinction.
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Precautionary statement(s) Storage**

P420+P405	Store separately and locked up
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

**Precautionary statement(s) Disposal**

P501	Dispose of contents/container in accordance with local regulations.
------	---

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS****Substances**

See section below for composition of Mixtures

**Mixtures**

CAS No	%[weight]	Name
7722-84-1	50	hydrogen peroxide

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

**SECTION 4 FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes:</p> <p>Obtain medical advice / attention without delay.</p> <p>Immediately hold eyelids apart and flush the eye continuously with running water.</p> <p>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</p> <p>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</p> <p>If advised to do so, transport to hospital or doctor without delay.</p> <p>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</p>
<b>Skin Contact</b>	<p>If skin or hair contact occurs:</p> <p>Obtain medical advice without delay.</p> <p>Immediately flush body and clothes with large amounts of water, using safety shower if available.</p> <p>Quickly remove all contaminated clothing, including footwear.</p> <p>Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.</p> <p>If necessary, transport to hospital, or doctor.</p>
<b>Inhalation</b>	<p>If fumes or combustion products are inhaled remove from contaminated area.</p> <p>Lay patient down. Keep warm and rested.</p> <p>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</p> <p>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained.</p> <p>Perform CPR if necessary.</p> <p>Transport to hospital, or doctor, without delay.</p>
<b>Ingestion</b>	<p>For advice, contact a Poisons Information Centre or a doctor at once.</p> <p>Urgent hospital treatment is likely to be needed.</p> <p>If swallowed do NOT induce vomiting.</p> <p>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</p> <p>Observe the patient carefully.</p> <p>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</p> <p>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</p> <p>If advised to do so, transport to hospital or doctor without delay.</p>

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

Hydrogen peroxide at moderate concentrations (5% or more) is a strong oxidant.

- ▶ Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended, and the possibility of local corticosteroid therapy should be considered.
- ▶ Because of the likelihood of systemic effects attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided.
- ▶ There is remote possibility, however, that a nasogastric or gastric tube may be required for the reduction of severe distension due to gas formation'

**SECTION 5 FIREFIGHTING MEASURES****Extinguishing media**

<b>Extinguishing media</b>	<p>NOTE: Chemical extinguishing agents may accelerate decomposition. [CCINFO]</p> <p>FOR <b>SMALL FIRE</b>: USE FLOODING QUANTITIES OF WATER.  <b>DO NOT</b> use dry chemical, CO<sub>2</sub>, foam or halogenated-type extinguishers.</p> <p>FOR <b>LARGE FIRE</b>  Flood fire area with water from a protected position</p>
----------------------------	---

**Special hazards arising from the substrate or mixture**

<b>Fire incompatibility</b>	<p>Avoid storage with reducing agents.  Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous</p>
-----------------------------	--

**Advice for firefighters**

<b>Fire Fighting</b>	<p>Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire.  Prevent, by any means available, spillage from entering drains or water courses.  Use firefighting procedures suitable for surrounding area.  <b>DO NOT</b> approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.  Equipment should be thoroughly decontaminated after use.</p>
<b>Fire/Explosion Hazard</b>	<p>Will not burn but increases intensity of fire.  Heating may cause expansion or decomposition leading to violent rupture of containers.  Heat affected containers remain hazardous.  Contact with combustibles such as wood, paper, oil or finely divided metal may produce spontaneous combustion or violent decomposition.  May emit irritating, poisonous or corrosive fumes.</p>
<b>HAZCHEM</b>	2P

**SECTION 6 ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Minor Spills</b>	<p>Clean up all spills immediately.  No smoking, naked lights, ignition sources.  <b>Avoid all contact with any organic matter including fuel, solvents, sawdust, paper or cloth and other incompatible materials, as ignition may result.</b>  Avoid breathing vapours and all contact with skin and eyes.  Control personal contact with the substance, by using protective equipment.  Flush away with copious amounts of water.</p>
<b>Major Spills</b>	<p>Clear area of personnel and move upwind.  May be violently or explosively reactive.  Wear full body protective clothing with breathing apparatus.  Prevent, by any means available, spillage from entering drains or water course.  No smoking, flames or ignition sources.  Increase ventilation.  <b>NEVER</b> use organic absorbents such as sawdust, paper, and cloth; as fire may result.  Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.  Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.  OR if possible  Dilute with large quantities of water (at least 10 times the volume of the hydrogen peroxide)</p>
<b>PPE</b>	Personal Protective Equipment advice is contained in Section 8 of the SDS

**SECTION 7 HANDLING AND STORAGE****Precautions for safe handling**

<b>Safe handling</b>	<p><b>DO NOT</b> allow clothing wet with material to stay in contact with skin  Avoid personal contact and inhalation mist or vapours.  Provide adequate ventilation.  Always wear protective equipment and wash off any spillage from clothing.  Keep material away from light, heat, flammables or combustibles.  Keep cool, dry and away from incompatible materials.  Avoid physical damage to containers.  <b>DO NOT</b> repack or return unused portions to original containers. Withdraw only sufficient amounts for immediate use.  Use only minimum quantity required.  Avoid using solutions of peroxides in volatile solvents.</p>
----------------------	---

<b>Other information</b>	<p>Store in original containers.          Keep containers securely sealed.          Store in a cool, dry, well-ventilated area.          Store under cover and away from sunlight  <b>DO NOT stack on wooden floors or pallets.</b>          Store away from incompatible materials and foodstuff containers.          Protect containers against physical damage and check regularly for leaks.          Store away from flammable or combustible materials, debris and waste. Contact may cause fire or violent reaction          Observe manufacturer's storage and handling recommendations contained within this SDS.</p>
--------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Suitable container</b>	Keep only in original container.
<b>Storage incompatibility</b>	<p>Hydrogen peroxide is a powerful oxidiser          Reacts dangerously with rust, dust, dirt, iron, copper, acids, metals and salts, organic material such as cloths, saw dust, wood.          Reacts violently with reducing agents, alcohols and other organic solvents.          Avoid heat.</p>

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****OCCUPATIONAL EXPOSURE LIMITS (OEL)****INGREDIENT DATA**


Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	hydrogen peroxide	Hydrogen peroxide	1.4 mg/m <sup>3</sup> / 1 ppm	Not Available	Not Available	Not Available

**EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
hydrogen peroxide	Hydrogen peroxide - 30%	33 ppm	170 ppm	330 ppm

Ingredient	Original IDLH	Revised IDLH
hydrogen peroxide	75 ppm	75 [Unch] ppm

**Exposure controls**

<b>Appropriate engineering controls</b>	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
<b>Personal protection</b>	
<b>Eye and face protection</b>	Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	Wear elbow length chemical protective gloves. Neoprene is recommended for this application. When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	Overalls. PVC Apron. Eyewash unit.
<b>Thermal hazards</b>	Not Available

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Appearance</b>	Clear colourless liquid
-------------------	-------------------------

<b>Physical state</b>	Liquid	<b>Relative density (Water = 1)</b>	1.132
<b>Odour</b>	Not Available	<b>Molecular weight (g/mol)</b>	34.02
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Applicable
<b>pH (as supplied)</b>	3.5	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	-33	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	108	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Flash point (°C)</b>	Not Applicable	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available

<b>Flammability</b>	Not Flammable	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Applicable	<b>Viscosity (cSt)</b>	Not Available
<b>Lower Explosive Limit (%)</b>	Not Applicable	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	Miscible	<b>pH as a solution (1%)</b>	Not Available
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. Solutions of hydrogen peroxide slowly decompose, releasing oxygen, and so are often stabilised by the addition of acetanilide, etc.
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

<b>Inhaled</b>	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce serious damage to the health of the individual. Inhalation of quantities of liquid mist may be extremely hazardous, even lethal due to spasm, extreme irritation of larynx and bronchi, chemical pneumonitis and pulmonary oedema. Inhaling excessive levels of mist may result in headache, dizziness, vomiting, diarrhoea, irritability, sleeplessness and fluid in the lungs, and cause extreme irritation of the nose and chest, cough, discomfort, shortness of breath and inflammation of the nose and throat. Whole-body effects of hydrogen peroxide poisoning include tremor, numbness of the limbs, convulsions, coma and shock. Hydrogen peroxide has poor warning properties.
<b>Ingestion</b>	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Hydrogen peroxide may cause blistering and bleeding from the throat and stomach. When swallowed, it may release large quantities of oxygen which could hyper-distend the stomach and gut and may cause internal bleeding, mouth and throat burns and rupture of the gut. There may also be fever, nausea, foaming at the mouth, vomiting, and chest and stomach pain, loss of consciousness, and movement disorders and death. Large amounts can also cause cessation of breath, dizziness, headache, tremors weakness or numbness in the extremities and convulsions.
<b>Skin Contact</b>	The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to produce harmful health effects (as classified under EC Directives using animal models). Systemic harm, however, has been identified following exposure of animals by at least one other route and the material may still produce health damage following entry through wounds, lesions or abrasions. Skin contact will result in rapid drying, bleaching, and leading to chemical burns on prolonged contact.
<b>Eye</b>	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. Hydrogen peroxide concentrations above 10% are corrosive to the eye and may cause corneal ulceration even days after exposure. The material can produce severe chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating.
<b>Chronic</b>	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.

### Toxicological effects of ingredients

<b>hydrogen peroxide</b>	Acute toxicity	Oral LD50 (rat) 75 mg/kg Inhalation LC50 (rat) 2 mg/L/4h Dermal LD50 (rat) 3000-5480 mg/kg
	Skin corrosion/irritation	Irritating
	Eye damage/irritation	Corrosive
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not mutagenic
	Carcinogenicity	Not a carcinogenic substance according to MAK, IARC, NTP, OSHA, ACGIH
	Reproductive toxicity	No available data
	STOT (single exposure)	No available data
	STOT (repeated exposure)	No available data
	Aspiration toxicity	No available data

## SECTION 12 ECOLOGICAL INFORMATION

### Toxicity

	Endpoint	Duration (Hr.)	Species	Value
hydrogen peroxide	LC50	96	Fish	16.4mg/L
	EC50	48	Crustacea	2mg/L
	EC50	72	Algae or other aquatic plants	0.85mg/L
	NOEC	72	Algae or other aquatic plants	=0.1mg/L

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydrogen peroxide	LOW	LOW

### Bio accumulative potential

Ingredient	Bioaccumulation
hydrogen peroxide	LOW (LogKOW = -1.571)

### Mobility in soil

Ingredient	Mobility
hydrogen peroxide	LOW (KOC = 14.3)

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations.
------------------------------	---

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

	 
Marine Pollutant	NO
HAZCHEM	2P

### Land transport (ADG)

UN number	2014				
Packing group	II				
UN proper shipping name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)				
Environmental hazard	No relevant data				
Transport hazard class(es)	<table border="1"><tr><td>Class</td><td>5.1</td></tr><tr><td>Sub risk</td><td>8</td></tr></table>	Class	5.1	Sub risk	8
Class	5.1				
Sub risk	8				
Special precautions for user	<table border="1"><tr><td>Special provisions</td><td>Not Applicable</td></tr><tr><td>Limited quantity</td><td>1 L</td></tr></table>	Special provisions	Not Applicable	Limited quantity	1 L
Special provisions	Not Applicable				
Limited quantity	1 L				

## SECTION 15 REGULATORY INFORMATION

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### HYDROGEN PEROXIDE (7722-84-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australian Inventory of Industrial Chemicals (AIIC)  
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

---

## SECTION 16 OTHER INFORMATION

---

### Revision Schedule

Revision Date	06/12/2024
Initial Date	24/10/2016

### SDS Version Summary

Version	Issue Date	Sections Updated
2.1	19/02/2021	Sections 2,3,4,5,6,7,11,12,15,16 have been updated or corrected
2.2	06/12/2024	Section 2

### Other information

#### DISCLAIMER:

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of VERIDIA Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

#### Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL;	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

**End of SDS**

**THIS PAGE HAS INTENTIONALLY BEEN LEFT BLANK**