

# SAFETY DATA SHEET



## LTS LOW-TEMP SANITISING LAUNDRY POWDER

Catalogue number: AC835

Version No: 2.5

Issue date: 27/01/2026

Safety Data Sheet according to WHS and ADG requirements.

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

Product name	LTS LOW-TEMP SANITISING LAUNDRY POWDER
Product code	AC835
Pack sizes	4.5kg, 10kg & 20kg

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Premium oxygenated laundry powder
--------------------------	-----------------------------------

#### Details of the supplier of the safety data sheet

Registered company name	VERIDIA Australia
Address	10 Voyager Circuit, Glendenning, NSW, 2761.
Telephone	1300 228 222
Website	www.veridia.com.au
Email	admin@veridia.com.au

#### Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

### SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	5
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, STOT - SE (Resp. Irr.) Category 3, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), <i>Classification drawn from HCIS and ECHA C&amp;L Inventory</i>

#### Label elements

Hazard pictogram	
SIGNAL WORD	<b>DANGER</b>

#### Hazard statement(s)

H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation
AUH066	Repeated exposure may cause skin dryness and cracking.

#### Precautionary statement(s) Prevention

P261	Avoid breathing dust.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P264	Wash contaminated skin thoroughly after handling

**Precautionary statement(s) Response**

P302+P352+P332+P313	IF ON SKIN: Wash with plenty of soap and water.
P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362	Take off contaminated clothing and wash before reuse.

**Precautionary statement(s) Storage**

P403+P405+P233	Store locked up, in a well-ventilated place. Keep container tightly closed.
----------------	---

**Precautionary statement(s) Disposal**

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS****Substances**

See section below for composition of Mixtures.

**Mixtures**

CAS No	%[weight]	Name
497-19-8	30-60	<u>sodium carbonate</u>
7758-29-4	10-<30	<u>sodium tripolyphosphate</u>
10213-79-3	<10	<u>sodium metasilicate, pentahydrate</u>
25155-30-0	<10	<u>sodium dodecylbenzenesulfonate</u>
9016-45-9	<10	<u>nonylphenol, ethoxylated</u>
Trade secret	<10	<u>proprietary surfactant</u>
15630-89-4	10-<30	<u>sodium percarbonate</u>
7757-82-6	10-<30	<u>sodium sulfate</u>
64-02-8	<10	<u>EDTA tetrasodium salt</u>

**SECTION 4 FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes: Obtain medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</p>
<b>Skin Contact</b>	<p>If skin or hair contact occurs: Obtain medical advice / attention without delay. Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.</p>
<b>Inhalation</b>	<p>If dust, fumes or combustion products are inhaled remove from contaminated area. Obtain medical advice / attention without delay. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs) As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. <b>This must definitely be left to a doctor or person authorised by him/her.</b></p>
<b>Ingestion</b>	<p>For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. <b>If swallowed do NOT induce vomiting.</b> If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.</p>

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SKIN AND EYE:**

- › Injury should be irrigated for 20-30 minutes.
- Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

**SECTION 5 FIREFIGHTING MEASURES****Extinguishing media**

- ▶ Water spray or fog.
- ▶ Foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

**Special hazards arising from the substrate or mixture**

<b>Fire Incompatibility</b>	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
-----------------------------	--

**Advice for firefighters**

<b>Fire Fighting</b>	Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area. <b>Do not approach containers suspected to be hot.</b> Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
<b>Fire/Explosion Hazard</b>	If combustion occurs, toxic gases may be emitted, such as: carbon dioxide (CO <sub>2</sub> ), carbon monoxide (CO), hydrogen chloride, phosgene, phosphorus oxides (PO <sub>x</sub> ), silicon dioxide (SiO <sub>2</sub> ) and other pyrolysis products typical of burning organic material. May emit corrosive fumes.
<b>HAZCHEM</b>	2X

**SECTION 6 ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Minor Spills</b>	Environmental hazard - contain spillage. Check regularly for spills and leaks. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
<b>Major Spills</b>	Environmental hazard - contain spillage. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Collect recoverable product into labelled containers for recycling. Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal
<b>PPE</b>	Personal Protective Equipment advice is contained in Section 8 of the SDS

**SECTION 7 HANDLING AND STORAGE****Precaution for safe handling**

<b>Safe handling</b>	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. <b>WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material.</b> Avoid contact with incompatible materials. When handling, <b>DO NOT eat, drink or smoke.</b> Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling.
<b>Other information</b>	Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. <b>DO NOT store near acids, or oxidising agents.</b>

**Conditions for safe storage, including any incompatibilities.**

<b>Suitable container</b>	Only store in original container.
<b>Storage incompatibility</b>	Avoid reducing agents


**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****OCCUPATIONAL EXPOSURE LIMITS (OEL)****INGREDIENT DATA**

No data available

**EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium carbonate	Sodium carbonate	12 mg/m3	130 mg/m3	780 mg/m3
sodium tripolyphosphate	Sodium tripolyphosphate	0.22 mg/m3	2.5 mg/m3	620 mg/m3
sodium metasilicate, pentahydrate	Sodium metasilicate pentahydrate	45 mg/m3	45 mg/m3	170 mg/m3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodium salt; (Tetrasodium EDTA)	75 mg/m3	830 mg/m3	5000 mg/m3
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether;	9.9 mg/m3	110 mg/m3	300 mg/m3
sodium dodecylbenzenesulfonate	Sodium dodecylbenzenesulfonate; (Dodecyl benzene sodium sulfonate)	2.1 mg/m3	23 mg/m3	87 mg/m3
sodium sulfate	Sodium sulfate, anhydrous	9.8 mg/m3	110 mg/m3	650 mg/m3

**Exposure controls**

<b>Appropriate engineering controls</b>	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
<b>Personal protection</b>	
<b>Eye and face protection</b>	Safety glasses with unperforated side shields OR; Chemical goggles, whenever there is a danger of the material coming in contact with the eyes. Goggles must be properly fitted. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	Elbow length natural rubber or nitrile gloves.
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit. Ensure there is ready access to a safety shower.
<b>Thermal hazards</b>	Not Available

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Appearance</b>	White powder with blue fleck		
<b>Physical state</b>	Powder	<b>Relative density (Water = 1)</b>	Not Applicable
<b>Odour</b>	Mild	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Applicable
<b>pH (as supplied)</b>	Not Applicable	<b>Decomposition temperature</b>	Not Applicable
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Viscosity (cSt)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Applicable	<b>Molecular weight (g/mol)</b>	Not Available
<b>Flash point (°C)</b>	Not Applicable	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Not Applicable	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Applicable	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Applicable
<b>Lower Explosive Limit (%)</b>	Not Applicable	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	200	<b>pH as a solution (1%)</b>	10.5 – 11.5
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

## Information on toxicological effects

<b>Inhaled</b>	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane. Fluid accumulation in the lungs can occur with exposure to high doses or over a long period of time.
<b>Ingestion</b>	Ingestion may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.
<b>Skin Contact</b>	The material can produce severe chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
<b>Eye</b>	If applied to the eyes, this material causes severe eye damage. Vapours or mists may be extremely irritating. Direct eye contact with corrosive bases can cause pain and burns.
<b>Chronic</b>	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.

## Toxicological effects of ingredients

<b>sodium carbonate</b>	Acute toxicity	Oral LD50 (rat) 2800 mg/kg Dermal LD50 (rat) 2000 mg/kg
	Skin corrosion/irritation	Prolonged or repeated contact may cause mild irritation
	Eye damage/irritation	Irritant. May cause pain, redness, discomfort
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	No data available
<b>sodium percarbonate</b>	Acute toxicity	Oral LD50 (rat) 1034 – 2000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg
	Skin corrosion/irritation	Mild irritant (Rabbit).
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	Not a skin sensitizer
	Germ cell mutagenicity	No adverse effect observed in tests conducted
	Carcinogenicity	Not a carcinogen
	Reproductive toxicity	Unlikely to be toxic to reproduction
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
<b>sodium metasilicate pentahydrate</b>	Acute toxicity	LD50 Oral - rat - 847 mg/kg
	Skin corrosion/irritation	Corrosive. Causes skin burns
	Eye damage/irritation	Corrosive. Causes eye burns
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	Sodium silicate was not mutagenic to the bacterium E. Coli when tested in a mutagenicity bioassay
	Carcinogenicity	There are no known reports of carcinogenicity of sodium silicates.
	Reproductive toxicity	Decreased numbers of births and survival to weaning was reported for rats fed sodium silicate in their drinking water at 600 and 1200 ppm.
	STOT (single exposure)	Dust corrosive to respiratory tract
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

<b>nonylphenol ethoxylates</b>	Acute toxicity	Oral LD50 (mouse) 4290 mg/kg
	Skin corrosion/irritation	moderate to severe irritation.
	Eye damage/irritation	moderate to severe irritation
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
<b>sodium dodecylbenzenesulfonate</b>	Acute toxicity	Oral LD50 (rat) 650 mg/kg Dermal LD50 (rat) >2000 mg/kg
	Skin corrosion/irritation	Irritating to the skin
	Eye damage/irritation	Causes severe eye damage
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Does not meet the criteria to be classified for human health hazards for Mutagenicity-Genetic Toxicity
	Carcinogenicity	Not carcinogenic
	Reproductive toxicity	Does not meet the criteria to be classified for human health hazards for Reproductive toxicity
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
<b>sodium sulfate</b>	Acute toxicity	Oral LD50 (mouse) 5989 mg/kg
	Skin corrosion/irritation	Not irritating
	Eye damage/irritation	Not irritating
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	Not classified
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
<b>EDTA tetrasodium salt</b>	Acute toxicity	Oral LD50 (rat): >1780 - <2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation
	Eye damage/irritation	Irritant (rabbit).
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
<b>sodium tripolyphosphate</b>	Acute toxicity	Oral LD50 (rat) >2000 mg/kg
	Skin corrosion/irritation	Not irritating
	Eye damage/irritation	Not irritating
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

## SECTION 12 ECOLOGICAL INFORMATION

## Toxicity

	Endpoint	Duration (Hr.)	Species	Value
<b>sodium carbonate</b>	LC50	96	Fish	300mg/L
	EC50	48	Crustacea	265mg/L
	NOEC	96	Fish	=550mg/L
<b>sodium percarbonate</b>	EC50	48	Crustacea	4.9mg/L
	NOEC	48	Crustacea	=2mg/L

sodium metasilicate, pentahydrate	LC50	96	Fish	2-320mg/L
	EC50	48	Crustacea	1-700mg/L
	EC50	72	Algae or other aquatic plants	207mg/L
	EC100	48	Crustacea	10-mg/L
nonylphenol, ethoxylated	EC50	48	Crustacea	1.43mg/L
	EC50	72	Algae or other aquatic plants	2.5mg/L
sodium dodecylbenzenesulfonate	LC50	96	Fish	1.67mg/L
	EC50	48	Crustacea	2.5mg/L
	EC50	96	Algae or other aquatic plants	0.9mg/L
	NOEC	672	Fish	0.15mg/L
sodium sulfate	LC50	96	Fish	ca.0.001- 100mg/L
	EC50	48	Crustacea	2-564mg/L
EDTA tetrasodium salt	LC50	96	Fish	1-592mg/L
	EC50	48	Crustacea	140mg/L
	EC50	72	Algae or other aquatic plants	=1.01mg/L
	EC10	72	Algae or other aquatic plants	=0.48mg/L
	NOEC	72	Algae or other aquatic plants	=0.39mg/L
sodium tripolyphosphate	EC50	48	Crustacea	>100mg/L
	EC50	96	Algae or other aquatic plants	69.2mg/L

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

Prevent, by any means available, spillage from entering drains or water courses.

**DO NOT discharge into sewer or waterways.**

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium carbonate	LOW	LOW
nonylphenol, ethoxylated	LOW	LOW
sodium sulfate	HIGH	HIGH

#### Bio accumulative potential

Ingredient	Bioaccumulation
sodium carbonate	LOW (LogKOW = -0.4605)
nonylphenol, ethoxylated	LOW (BCF = 16)
sodium sulfate	LOW (LogKOW = -2.2002)

#### Mobility in soil

Ingredient	Mobility
sodium carbonate	HIGH (KOC = 1)
nonylphenol, ethoxylated	LOW (KOC = 940)
sodium sulfate	LOW (KOC = 6.124)

### SECTION 13 DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product / packaging disposal	Recycle container whenever possible. Dispose of product and containers in accordance with local government regulations
------------------------------	---

### SECTION 14 TRANSPORT INFORMATION

#### Labels Required

Marine Pollutant	NO
HAZCHEM	2X

Land transport (ADG): Not regulated for the transport of Dangerous Goods

### SECTION 15 REGULATORY INFORMATION

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

##### SODIUM CARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australian Inventory of Industrial Chemicals (AIIC)

##### SODIUM PERCARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australian Inventory of Industrial Chemicals (AIIC)

**SODIUM METASILICATE, PENTAHYDRATE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
 Australian Inventory of Industrial Chemicals (AIIC)

**NONYLPHENOL, ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
 Australian Inventory of Industrial Chemicals (AIIC)  
 Chemical Footprint Project - Chemicals of High Concern List

**SODIUM DODECYLBENZENESULFONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
 Australian Inventory of Industrial Chemicals (AIIC)

**SODIUM SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australian Inventory of Industrial Chemicals (AIIC)

**EDTA TETRASODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4  
 Australian Inventory of Industrial Chemicals (AIIC)

**SODIUM TRIPOLYPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

Australian Inventory of Industrial Chemicals (AIIC)

**SECTION 16 OTHER INFORMATION****Revision Schedule**

<b>Revision Date</b>	19/01/2024
<b>Initial Date</b>	06/12/2016

**SDS Version Summary**

Version	Issue Date	Sections Updated
2.1	18/02/2021	Sections 2, 3, 11, 12, 14, 15, 16 have been updated or corrected
2.2	31/05/2021	Sections 1 and 14
2.3	20/07/2023	Sections 1 and 2
2.4	19/01/2024	Sections 2, 3, 14.

**Other information****DISCLAIMER:**

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of VERIDIA Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

**Definitions and abbreviations**

PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

**End of SDS**