SAFETY DATA SHEET

L59 LAUNDRY SOUR / SANI / SOFT

Catalogue number: **AC883**
Version No: **3.2**
Issue date: **27/01/2026**
Safety Data Sheet according to WHS and ADG requirements.

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	L59 LAUNDRY SOUR / SANI / SOFT
Synonyms	AC883
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Fabric Softener for Automatic Feed into Commercial Washing Machine

Details of the supplier of the safety data sheet

Registered company name	VERIDIA Australia
Address	10 Voyager Circuit, Glendenning, NSW, 2761.
Telephone	1300 228 222
Website	www.veridia.com.au
Email	admin@veridia.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	6
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1
	Classification drawn from HCIS and ECHA C&L Inventory.

Label elements

Hazard pictograms	
SIGNAL WORD	**DANGER**

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage.

Precautionary statement(s) Prevention

P280	Wear protective gloves / protective clothing / eye protection / face protection.
P264	Wash contaminated skin thoroughly after handling

Precautionary statement(s) Response

P302+P352+P332+P313+P362	IF ON SKIN: Wash with plenty of soap and water. If irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
P305+P310+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. Immediately call a POISON CENTER or doctor.

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

Not applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures.

Mixtures

CAS No	%[weight]	Name
Trade secret	<10	Proprietary fabric softener
79-14-1	<10	Glycolic acid
68424-85-1	<10	Quaternary ammonium compound A
68424-95-3	<10	Quaternary ammonium compound B
50-21-5	<10	Lactic acid

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately wash affected areas with plenty of soap and water. Remove all contaminated clothing, including footwear. If irritation occurs, seek medical advice/attention.
Inhalation	If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested in a comfortable position for breathing. Further attention is usually not needed.
Ingestion	Rinse mouth with water. Give a glass of water to drink. If feeling unwell seek medical advice/attention.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media	There is no restriction on the type of extinguisher that may be used. Use extinguisher that is suitable for the surrounding area

Special hazards arising from the substrate or mixture.

Fire incompatibilities	Avoid contamination with oxidising acids, nitrates, and chlorine bleaches

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. **DO NOT** approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Combustion may release toxic fumes of carbon dioxide (CO_2), nitrogen oxides (NOx), and other pyrolysis products typical of burning organic material. May emit corrosive fumes.
HAZCHEM	2X

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. Avoid breathing vapours/ aerosols/ or dusts and avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Place in a suitable, labelled container for waste disposal.
Major Spills	Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

PPE	Personal protective equipment advice is contained in Section 8 of this SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	**DO NOT** allow clothing wet with material to stay in contact with skin Avoid all personal contact. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	

Conditions for safe storage, including any incompatibilities.

Suitable containers	Plastic pail Packaging as recommended by the manufacturer. Check all containers are clearly labelled and free from leaks
Storage incompatibility	Avoid strong bases. Avoid reaction with oxidising agents.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters.

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

There are no ingredients with Occupational Exposure Limits

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
glycolic acid	Glycolic acid; (Hydroxyacetic acid)	25 mg/m3	280 mg/m3	390 mg/m3

Ingredient	Original IDLH	Revised IDLH
Glycolic acid	Not available	Not available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Elbow length chemical gloves. Butyl, PE/EVAL/PE or Saranex 23 are recommended for this application.
Body protection	Overalls When handling corrosive liquids it is good practice to wear overall legs outside of boots to prevent liquids entering boots.
Other protection	P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Viscous mauve liquid

Physical state	Liquid	**Relative density (Water = 1)**	Not Available
Odour	Floral	**Molecular weight (g/mol)**	Not Available
Odour threshold	Not Available	**Auto-ignition temperature(°C)**	Not Applicable
pH (as supplied)	3	**Decomposition temperature**	Not Available
Melting point / freezing point (°C)	Not Available	**Surface Tension (dyn/cm or mN/m)**	Not Available
Initial boiling point and boiling range °C)	Not Available	**Partition coefficient n-octanol /water**	Not Available
Flash point (°C)	Not Applicable	**Taste**	Not Available
Evaporation rate	Not Available	**Explosive properties**	Not Available
Flammability	Not Flammable	**Oxidising properties**	Not Available
Upper Explosive Limit (%)	Not Applicable	**Viscosity (cSt)**	Not Available
Lower Explosive Limit (%)	Not Applicable	**Volatile Component (%vol)**	Not Available
Vapour pressure (kPa)	Not Available	**Gas group**	Not Available
Solubility in water (g/L)	Miscible	**pH as a solution (1%)**	Not Available
Vapour density (Air = 1)	Not Available	**VOC g/L**	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage cause further lung damage.
Ingestion	The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.
Skin Contact	The material can produce chemical burns following direct contact with the skin. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage.
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Toxicological effects of ingredients

glycolic acid	Acute toxicity	Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h
	Skin corrosion/irritation	Severe skin irritation
	Eye damage/irritation	Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulceration, May cause irreversible eye damage
	Respiratory/skin sensitization	No data available
	Germ cell mutagenicity	No adverse effects observed
	Carcinogenicity	Not carcinogenic
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract
	STOT (repeated exposure)	No data available
	Aspiration toxicity	No data available

quaternary ammonium compound A&B	Acute toxicity	Oral ATE 300 – 2000 mg/kg Dermal ATE 200 – 1000 mg/kg Inhalation ATE >20 mg/L
	Skin corrosion/irritation	This material has been classified as a Category 1B Hazard (irreversible effects to skin).
	Eye damage/irritation	This material has been classified as a Category 1 Hazard (irreversible effects to eyes).
	Respiratory/skin sensitization	Not classified as a respiratory or skin sensitiser.
	Germ cell mutagenicity	This material has been classified as non-hazardous
	Carcinogenicity	This material has been classified as non-hazardous
	Reproductive toxicity	This material has been classified as non-hazardous
	STOT (single exposure)	This material has been classified as non-hazardous
	STOT (repeated exposure)	This material has been classified as non-hazardous
	Aspiration toxicity	This material has been classified as non-hazardous
proprietary fabric softener	Acute toxicity	Oral LD50 (rat) >5000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg
	Skin corrosion/irritation	Causes mild skin irritation
	Eye damage/irritation	Direct contact with eyes may cause temporary irritation.
	Respiratory/skin sensitization	This product is not expected to cause skin sensitization./ Not a respiratory sensitizer.
	Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
	Carcinogenicity	Not classifiable as to carcinogenicity to humans.
	Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
	STOT (single exposure)	Not classified.
	STOT (repeated exposure)	Not classified.
	Aspiration toxicity	Not likely, due to the form of the product.
lactic acid	Acute toxicity	Oral LD50 (rat) 3543 – 3730 mg/kg Dermal LD50 (rabbit) >2000 mg/kg Inhalation LC50 (rat) 7.94 mg/L 4hr
	Skin corrosion/irritation	Irritating
	Eye damage/irritation	Causes serious eye damage; contamination of eyes can result in permanent injury
	Respiratory/skin sensitization	No information available
	Germ cell mutagenicity	No information available
	Carcinogenicity	No information available
	Reproductive toxicity	No information available
	STOT (single exposure)	No information available
	STOT (repeated exposure)	No information available
	Aspiration toxicity	No information available

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
glycolic acid	LC50	96	Fish	>5-mg/L
	EC50	48	Crustacea	141mg/L
	EC50	72	Algae or other aquatic plants	21.6mg/L
	NOEC	72	Algae or other aquatic plants	10mg/L
lactic acid	LC50	48	Fish	320 mg/L
	EC50	48	Daphnia	240 mg/L
	EC50	neutral	Algae	3500 mg/L

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycolic acid	LOW	LOW
lactic acid	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
glycolic acid	LOW (LogKOW = -1.11)
lactic acid	LOW (LogKOW = -0.72)

Mobility in soil

Ingredient	Mobility
glycolic acid	HIGH (KOC =1)
lactic acid	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods.

Disposal of product / packaging	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not applicable

Land transport (ADG): NOT REGULATED FOR THE TRANSPORTATION OF DANGEROUS GOODS.

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

GLYCOLIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

QUATERNARY AMMONIUM CHLORIDE A & B IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

LACTIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	01/03/2024
Initial Date	18/11/2016

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	08/02/2021	Sections 2,3,5,8,11,12,15,16 have been updated or corrected
2.2	16/01/2023	Section 2
3.0	28/02/2024	Section 2, 3, 4, 11, 12, 14, 15.
3.1	01/03/2024	Section 2

Other information

DISCLAIMER:
All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of VERIDIA Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

End of SDS